



TECHNOLOGY IN MOTION

The lift & slide system

MACO Move HS – maximum freedom



Convenient way to access more light and space

Lift, slide and open as far as you like: This is the freedom that **MACO Move HS hardware** offers. A system in which the gears, rollers, gasket tracks and thresholds coordinate perfectly. For large casement doors weighing up to 500 kg, providing more light and space. And with built-in brakes that ensure maximum ease of use, even if more force is applied than necessary.



Benefits for fabricators

01 Wide variety

Everything from a single source: Hardware solutions for lift & slide doors made of PVC, timber, timber-aluminium and aluminium

02 Highly advanced modular design

Easy installation: **MACO Move HS** offers an especially wide range of system combinations that let you implement secure and customised solutions.

03 Frameless fixed glazing

More glass surface for more light and better sound insulation: Frameless fixed glazing is possible with **MACO Move HS** and lift & slide doors made from timber-aluminium.

Benefits for consumers

01 Low-maintenance ease of use

Easy and safe: **MACO Move HS hardware** enables effortless and infinitely variable opening, holding and closing of large sliding doors – for a long time and without requiring regular readjustment.


02 Built-in security

Certified and confirmed: The lift & slide hardware offers enhanced burglary protection – even when the sliding element is in the vented position.

03 Lasting quality

Longer lasting smooth operation: Pre-assembled cleaning brushes keep the rollers clean and thus maintain ease of sliding for years.





©AdobeStock, Halfpoint

Innovations



MACO Move HS rollers

Quiet, smooth-running and durable: **MACO Move HS rollers** were developed for effortless lifting and sliding of heavy sliding doors. The large roller moves up to 500 kg, the smaller version up to 420 kg – while its lower height allows for narrower frame profiles. Both products are therefore among the highest capacity products on the market.

MACO Move HS InfinityView

Fewer casement frames, high impact: That's what **MACO Move HS InfinityView** offers. This MACO lift & slide door solution uses glass-fibre reinforced uPVC as the base material. The effect: a virtually frameless and therefore almost infinitely wide view – with the same high level of ease of use and protection.

MACO Move HS Panorama

Beautiful views: With **MACO Move HS Panorama**, we offer a range of all-inclusive packages for the quick and safe implementation of large sliding doors combined with frameless fixed glazing. Naturally including 100% barrier-free accessibility, as the roller track can be sunk into the floor.



TECHNOLOGY IN MOTION

Coordinated solutions for a perfect fit

System components for MACO Move HS



Comfort Drive drive unit

Fully or semi-automatic: **MACO Move Comfort Drive** is a motorised drive unit that effortlessly and quietly moves lift & slide doors weighing up to 440 kg. It can be concealed or surface-mounted and integrated into smart home systems.



Thresholds

No need to worry about energy loss or condensation: Our threshold solutions provide effective insulation – and can also be barrier-free on request.



Handles

Functionality, security and design: MACO offers ergonomic handle solutions with exceptional properties – for maximum ease of use with lift & slide doors.

More solutions:

- › Weather seals

Information, solutions, advice

MACO is here for you

Find out more about MACO Move HS hardware at www.maco.eu/movehs and download additional documentation, installation instructions and certificates. You can also find the MACO customer consultant in your area by visiting our website. Contact us for personalised advice – we look forward to helping you.

MACO near you:

www.maco.eu/contact



This document is constantly being revised.
You can find the current version at <https://www.maco.eu/assets/760088>
or by scanning the QR code.

Created: 10/2024 - Changed: 24.03.2025
Order no. 760088
All rights and amendments reserved