



TECHNOLOGY IN MOTION

## The lift & slide system MACO Move HS – maximum freedom



TIMBER

PVC

ALU

# Convenient way to access more light and space

Lift, slide and open as far as you like: This is the freedom that **MACO Move HS hardware** offers. A system in which the gears, rollers, gasket tracks and thresholds coordinate perfectly. For large casement doors weighing up to 500 kg, providing more light and space. And with built-in brakes that ensure maximum ease of use, even if more force is applied than necessary.



## Benefits for fabricators

### 01 Wide variety

Everything from a single source: Hardware solutions for lift & slide doors made of PVC, timber, timber-aluminium and aluminium

### 02 Highly advanced modular design

Easy installation: **MACO Move HS** offers an especially wide range of system combinations that let you implement secure and customised solutions.

### 03 Frameless fixed glazing

More glass surface for more light and better sound insulation: Frameless fixed glazing is possible with **MACO Move HS** and lift & slide doors made from timber-aluminium.

## Benefits for consumers

### 01 Low-maintenance ease of use

Easy and safe: **MACO Move HS hardware** enables effortless and infinitely variable opening, holding and closing of large sliding doors – for a long time and without requiring regular readjustment.


### 02 Built-in security

Certified and confirmed: The lift & slide hardware offers enhanced burglary protection – even when the sliding element is in the vented position.

### 03 Lasting quality


Longer lasting smooth operation: Pre-assembled cleaning brushes keep the rollers clean and thus maintain ease of sliding for years.





©AdobeStock, Halfpoint

## Innovations



### MACO Move HS roller

Quiet, smooth-running and durable: The **MACO Move HS roller** was developed for the effortless lifting and sliding of doors weighing up to 500 kg. From the concept design to the choice of materials to the construction, everything about it is designed for sustainability.

### MACO HS InfinityView

Fewer casement frames, high impact: That's what **MACO HS InfinityView** offers. This MACO lift & slide door solution uses glass-fibre reinforced uPVC as the base material. The effect: a virtually frameless and therefore almost infinitely wide view – with the same high level of ease of use and protection.

### MACO HS Panorama

Beautiful views: With **MACO HS Panorama**, we offer a range of all-inclusive packages for the quick and safe implementation of large sliding doors combined with frameless fixed glazing. Naturally including 100% barrier-free accessibility, as the roller track can be sunk into the floor.



TECHNOLOGY IN MOTION

## Coordinated solutions for a perfect fit System components for MACO Move HS



### Comfort Drive drive unit

Fully or semi-automatic: **MACO Move Comfort Drive** is a motorised drive unit that effortlessly and quietly moves lift & slide doors weighing up to 440 kg. It can be concealed or surface-mounted and integrated into smart home systems.

### Thresholds

No need to worry about energy loss or condensation: Our threshold solutions provide effective insulation – and can also be barrier-free on request.

### Handles

Functionality, security and design: MACO offers ergonomic handle solutions with exceptional properties – for maximum ease of use with lift & slide doors.

### More solutions:

- › Weather seals

## Information, solutions, advice MACO is here for you

Find out more about MACO Move HS hardware at [www.maco.eu/movehs](http://www.maco.eu/movehs) and download additional documentation, installation instructions and certificates. You can also find the MACO customer consultant in your area by visiting our website. Contact us for personalised advice – we look forward to helping you.

**MACO near you:**  
[www.maco.eu/contact](http://www.maco.eu/contact)



This document is constantly being revised.  
You can find the current version at <https://www.maco.eu/assets/760088>  
or by scanning the QR code.

Created: 10/2024  
Order no. 760088  
All rights and amendments reserved